

ACTIVE SPORT CRUISER

Kawasaki Let the good times roll



11

MODENAS

650CC SPORT CRUISER THAT IS DESIGNED TO TACKLE EVERY CORNER & TURNS

The Vulcan S is not our average cruiser.

It stands apart, with its powerful Parallel Twin engine, unique frame and suspension layout, and its very non-traditional looks.

Designed for independent-minded riders, it does not require the rider to conform to any heard-mentality fashion or lifestyle. Special attention paid to ensuring high level of fit & comfort, and confidence in riding makes the new Vulcan an attractive option for new and female riders who are looking for a stylish, performance sport cruiser.







Liquid-cooled, DOHC, 8-valve 649cc Parallel Twin with fuel injection

The engine was tuned for rider-friendly power characteristics that will inspire confidence in new riders. The Vulcan S offers a smooth start from a standstill, smooth acceleration, and a satisfying pull when accelerating.

The triangular layout of the crankshaft and transmission shafts makes the engine very short from front-to-back.

Confidence In Riding

Both the engine and chassis were designed to offer new riders confidence. The compact Parallel Twin engine has a very accommodating character, delivering feel good power and easy to control. Thanks to the compact design of the engine, the model recieves a slimmer and more lighweight chassis. Light, easy handling is complemented by a reassuring low seat height and a slimmer design that makes it super stable when taking tight corners.

Frame

- The design of the frame, rear suspension and swingarm creates an integrated line running from the front of the bike to the rear hub.
- Elegant pipe perimeter frame is a key component of the Vulcan S identity. The bike's bodywork accentuates the frame, rather than hiding it.



Offset laydown rear single-shock suspension is a distinctive and trend-setting styling element.

The swingarm's D-shaped cross-section gives it a pipe-like design that matches the frame, and contributes to the high-quality appearance.



- Finishing on the cylinder head is simillar to air-cooled fins, contributing to an aggresive appearance.
- Slim radiator design matches the cruiser-style image.
- Attractive bend of the exhaust pipes and the under-engine muffler arrangement contributes to the Vulcan S attractive styling.

MODENAS

MODENAS Vuic



Fit & Comfort

Feel the comfort in every ride.

The Vulcan S was designed too be accomodating for a wide range of riders from short to tall. Complementing the relaxed riding position, adjustable footpegs and levers, and a number of accessory components allows its riders to custom-fit their bike to suit size and preferences.

- Low seat height is reassuring in stop-and-go city traffic.
- Higher ground clearance.
- Thickly-padded sculpted seat offers great hip support.
- Relaxing, foot-forward riding position.
- Adjustable 3-position footpegs (standard, 25mm forward, 25mm back)
- Adjustable clutch/brake levers.
- Numerous accessories enable an even better fit & comfort.



Styling Elements

- Curved, flowing style blended with a powerful, long-and-low stance and modern elements creates a unique, eye-catching design.
- Inverted triangle shaped headlamp contributes to the Vulcan S fresh and unique design.
- Tapered headlebar is fatter in the middle, contributing to a strong appearance of the handle area.
- New teardrop-styled fuel tank adds a cruiser-style touch.



- Rounded turn signals fore and aft matches the bike's overall design.
- Inner fender unitised with the chain cover contributes to the stylish design.
- Metal plates added to various components, including the radiator shrounds cyclinder head cover and swingarm pivot cover, contribute to the high-quality image.

MODENAS

MODEL SPECIFICATIONS

			DIMENSIONS		
Туре		Liquid-cooled, 4-stroke,	Overall Length	2,310 mm	Vulcan 🖉
		Parallel Twin, DOHC	Overall Width	880 mm	
Displacement		649 cc	Overall Height	1,100 mm	
Bore x Stroke		83.0 x 60.0 mm	Wheelbase	1,575 mm	
Compression Ratio		10.8:1	Ground Clearance	130 mm	
Fuel Supply		Fuel Injection	Seat Height	705 mm	Pearl Matte Sage Green
Lubrication System		Forced Lubrication, Semi-dry sump	Curb Mass	229 kg	
Starting System		Electric Starter	Fuel Capacity	14 litres	Manufactor Des
Ignition System		B&C (TCBI, B. P&EL. ADV)	DRIVETRAIN		
			Driving System	Chain	
ype suspension:		Tubular, Diamond	Transmission	6-speed, Return Shift	
	Front	Telescopic Fork	Primary Reduction ratio	2.095 (88/42)	
	Rear	Horizontal Back-link SWG, ARM	Final Reduction ratio	3.067 (46/15)	
Wheel Travel:	Front	130 mm	Clutch Type (Primary)	Wet, Multi-disc	
	Rear	80 mm	PERFORMANCE		
Caster (Rake Angle) 31.0			PERFORMANCE		
Trail		120 mm	Max. Power	44.7 kW / 7,500 rpm	
Steering Angle (left/right)		35/35	Max. Torque	62.4 Nm / 6,600 rpm	
vre:	Front	120/70 R18M/C (59H)			
	Rear	160/60 R17M/C (69H)			
Brake:	Front	Single disc (272 mm)	Headlight (High/Low) Brake/Tail Light	LED/LED	
	Rear	Single Disc (216 mm)		LED	SENAS
	Roar				MODERAS Flat Spark E

Vulcan 🖉 📖

** Pictures displayed are for illustration purposes only. Actual product may vary.

The Vulcan S is not our average cruiser. It stands apart, with its Parallel Twin engine, unique frame and suspension layout, and its very non-traditional looks.

Kawasaki Technology



Scan For **Video Preview** Ο





Toll free number 1-800-880-008



Kawasaki Toll Free Line : +1800 880 008

199601019036 (391388-P) Edaran Modenas Sdn. Bhd.

EON Head Office Complex, Level 2, No. 2, Persiaran Kerjaya,

www.kawasaki.com.my



Selangor Darul Ehsan, Malaysia.

EMOS